



Model	Dimensions	Weight (KG)	Cage	Cr (KN)	Cor (KN)	rmp (Grease)
23020CA	100X150X37	2.51		215	400	2400
23022CA	110X170X45	3.54		253	460	263
23024CA	120X180X46	4.19	Brass	263	495	2000
23026CA	130X200X52	7.04	Brass	340	350	1900
23028CA	140X210X53	6.7	Brass	365	705	1800
23030CA	150X225X56	7.44	Brass	400	795	1700
23032CA	160X240X60	8.86	Brass	445	875	1700
23034CA	170X260X67	14.2	Brass	555	1090	1600
23036CA	180X280X74	17.7	Brass	630	1280	1400
23038CA	190X290X75	16.9	Brass	700	1450	1300
23040CA	200X310X82	22.6	Brass	770	1560	1200
23044CA	220X340X90	32	Brass	935	1900	1100
23048CA	240X360X92	32.6	Brass	985	2080	1000
23052CA	260X400X104	49.8	Brass	1230	2550	900
23056CA	280X420X106	54.9	Brass	1320	2850	850
23060CA	300X460X118	73	Brass	1610	3450	800
23064CA	320X480X121	78	Brass	1960	3800	800
23068CA	340X520X133	108	Brass	1980	4400	700
23072CA	360X540X134	114	Brass	2280	4800	670
23076CA	380X560X135	118	Brass	2480	5000	630
23080CA	400X600X148	165	Brass	2540	5900	600
23084CA	420X620X150	175	Brass	2700	6400	450
23088CA	440X650X157	192	Brass	2780	6500	430
23092CA	460X680X163	223	Brass	3450	6950	400
23096CA	480X700X165	231	Brass	3340	6800	380
230/500CA	500X720X167	236	Brass	3680	7800	380

ADD: Bearing Zone, Yiyang Industry Cluster District, Luoyang City, Henan Province, China




Model	Dimensions	Weight (KG)	Cage	Cr (KN)	Cor (KN)	rmp (Grease)
230/530CA	530X780X185	310	Brass	4370	9300	340
230/560CA	560X820X195	355	Brass	4890	10200	320
230/600CA	600X870X200	405	Brass	5230	11400	300
230/630CA	630X920X212	485	Brass	5750	12500	260
230/670CA	670X980X230	600	Steel solic	6560	14600	240
230/710CA	710X1030X236	670	Steel solic	7250	16300	220
230/750CA	750X1090X250	795	Steel solic	8450	18600	200
230/800CA	800X1150X258	895	Steel solic	8630	20000	190
230/850CA	850X1220X272	1050	Steel solic	9370	21600	180
230/900CA	900X1280X280	1200	Steel solic	10100	23200	170
230/950CA	950X1360X300	1450	Steel solic	12000	28500	160
230/1000CA	1000X1420X308	1550	Steel solic	11200	27000	150
230/1060CA	1060X1500X328	2250	Steel solic	13800	34000	135
230/1250CA	1250X1750X378	2840	Steel solic	17900	45000	120
24020CA	100X150X50	2.95		290	620	1800
24022CA	110X170X60	4.98		310	650	1700
24024CA	120X180X60	5.4	Brass	325	660	1600
24026CA	130X200X69	7.95	Brass	477	815	1500
24028CA	140X210X69	8.45	Brass	495	900	1400
24030CA	150X225X75	10.5	Brass	500	1050	1300
24032CA	160X240X80	13	Brass	570	1210	1100
24034CA	170X260X90	16.7	Brass	705	1500	1000
24036CA	180X280X100	22.5	Brass	835	1750	950
24038CA	190X290X100	24	Brass	855	1840	950
24040CA	200X310X109	30.5	Brass	985	2130	900
24044CA	220X340X118	30	Brass	1150	2500	850

ADD: Bearing Zone, Yiyang Industry Cluster District, Luoyang City, Henan Province, China



Model	Dimensions	Weight (KG)	Cage	Cr (KN)	Cor (KN)	rmp (Grease)
24048CA	240X360X118	42.5	Brass	1240	2800	800
24052CA	260X400X140	64.5	Brass	1780	1910	700
24056CA	280X420X140	68.5	Brass	1620	3700	670
24060CA	300X460X160	97	Brass	2020	2700	600
24064CA	320X480X160	100	Brass	2480	5100	560
24068CA	340X520X180	140	Brass	2460	5700	530
24072CA	360X540X180	145	Brass	3110	6550	500
24076CA	380X560X180	150	Brass	3150	6900	480
24080CA	400X600X200	205	Brass	3600	7800	450
24084CA	420X620X200	210	Brass	3350	8450	380
24088CA	440X650X212	245	Brass	4080	8800	360
24092CA	460X680X218	275	Brass	4200	9100	340
24096CA	480X700X218	285	Brass	4490	10000	340
240/500CA	500X720X218	295	Brass	4600	10400	320
240/530CA	530X780X250	410	Brass	5640	12700	280
240/560CA	560X820X258	465	Brass	6210	14000	260
240/600CA	600X870X272	540	Brass	6730	15600	240
240/630CA	630X920X290	655	Brass	7530	17300	220
240/670CA	670X980X308	790	Steel solic	8450	20000	200
240/710CA	710X1030X315	895	Steel solic	8970	22000	190
240/750CA	750X1090X335	1065	Steel solic	9950	24000	180
240/800CA	800X1150X345	1200	Steel solic	10900	27500	170
240/850CA	850X1220X365	1410	Steel solic	12000	30000	160
240/900CA	900X1280X375	1570	Steel solic	12900	32500	150
240/950CA	950X1360X412	1990	Steel solic	14800	39000	130
240/1000CA	1000X1420X412	2140	Steel solic	15400	40500	110

ADD: Bearing Zone, Yiyang Industry Cluster District, Luoyang City, Henan Province, China



Model	Dimensions	Weight (KG)	Cage	Cr (KN)	Cor (KN)	rmp (Grease)
240/1060CA	1060X1500X438	2515	Steel solid	17300	45500	100
240/1120CA	1120X1580X462	2925	Steel solid	18700	50000	90
23218CA	90X160X52.4	4.82		495	585	2500
23220CA	100X180X60.3	6.58		415	599	2100
23222CA	110X200X69.8	9.66	Brass	502	742	1600
23224CA	120X215X76	12	Brass	535	940	1500
23226CA	130X230X80	14	Brass	670	1020	1300
23228CA	140X250X88	18.5	Brass	910	1365	1200
23230CA	150X270X96	24	Brass	950	1550	1100
23232CA	160X290X104	30	Brass	1100	1760	1000
23234CA	170X310X110	36.5	Brass	1070	1930	950
23236CA	180X320X112	39	Brass	1160	2130	900
23238CA	190X340X120	47.5	Brass	1290	2400	850
23240CA	200X360X128	57	Brass	1360	2530	850
23244CA	220X400X144	79.58	Brass	1720	3200	750
23248CA	240X440X160	110	Brass	2080	3950	670